

プラスチックケースタイプ 巻線形変流器 (1.15kV) 中国製




CM 1-5 / CM 1-15 / CM 1-40

- 巻線形
- 一般計器用
- プラスチックケース入り
- 屋内用






準拠規格 JIS C 1731

形名 Product code	変流比 Ratio	定格負担 Rated burden	確度階級 Accuracy class	耐電圧 Insulation level	過電流強度 Over current strength	周波数 Frequency	サイズ Outline drawing	質量 Mass		
CM1-5	1/5,1A	5VA	1.0	1.15/4/-kV	40倍	50/60Hz	a	1.1kg		
	2/5,1A						a	1.1kg		
	3/5,1A						a	1.1kg		
	5/5,1A						a	1.1kg		
	7.5/5,1A						a	1.1kg		
	10/5,1A						a	1.1kg		
	15/5,1A						a	1.1kg		
	20/5,1A						a	1.2kg		
	25/5,1A						a	1.2kg		
	30/5,1A						a	1.2kg		
	40/5,1A						a	1.2kg		
	50/5,1A						a	1.2kg		
	CM1-15						1/5,1A	15VA	b	1.7kg
							2/5,1A		b	1.7kg
3/5,1A		b					1.7kg			
5/5,1A		b					1.7kg			
7.5/5,1A		b					1.7kg			
10/5,1A		b					1.7kg			
15/5,1A		b					1.7kg			
20/5,1A		b					1.8kg			
25/5,1A		b					1.8kg			
30/5,1A		b					1.8kg			
40/5,1A		b					1.8kg			
50/5,1A		b					1.8kg			
CM1-40		1/5,1A					40VA		b	1.8kg
		2/5,1A							b	1.8kg
	3/5,1A	b						1.8kg		
	5/5,1A	b						1.8kg		
	7.5/5,1A	b						1.8kg		
	10/5,1A	b						1.8kg		
	15/5,1A	b	1.8kg							
	20/5,1A	b	1.9kg							
	25/5,1A	b	1.9kg							
	30/5,1A	b	1.9kg							
	40/5,1A	b	1.9kg							
	50/5,1A	b	1.9kg							



▲図面 a





▲図面 b